

© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

NOTES:


- STONE MASTIC ASPHALT SURFACE COURSE MACADAM SHALL COMPLY WITH THE REQUIREMENTS OF NRA SERIES 900 'SPECIFICATION FOR ROAD WORKS' AND SHALL SATISFY THE REQUIREMENTS OF TABLE 9/2. IT SHALL BE LAID & COMPACTED IN ACCORDANCE WITH CLAUSE 900.5 & CLAUSE 702.
- ASPHALT CONCRETE BINDER COURSE SHALL COMPLY WITH NRA SERIES 900 NRA'S 'SPECIFICATION FOR ROAD WORKS' & SHALL SATISFY THE REQUIREMENTS OF TABLE 9/1. IT SHALL BE LAID & COMPACTED IN ACCORDANCE WITH CLAUSE 900.3 & CLAUSE 702.
- SUB-BASE MATERIAL SHALL COMPLY WITH CLAUSE 808 GRANULAR MATERIAL TYPE B OF NRA'S 'SPECIFICATION FOR ROAD WORKS (SRW)' & SHALL SATISFY THE REQUIREMENTS OF TABLE 8/4 & 8/2.
- SUB FORMATION & CAPPING MATERIAL SHALL COMPLY WITH CLAUSE 613 OF THE NRA'S 'SPECIFICATION FOR ROAD WORKS' & SHALL SATISFY THE REQUIREMENTS OF TABLE 6/1 & 6/2.
- STONE BLINDING WITH 2-6.3mm AGGREGATE SHALL MEET THE FOLLOWING GRADINGS, IN ACCORDANCE WITH IS EN 13242.

BS SIEVE SIZE (mm)	% BY MASS PASSING
14	100
10	98-100
6.3	80-99
2.0	0-20
1.0	0-5


- CRUSHED STONE WITH 4-20mm AGGREGATE SHALL MEET THE FOLLOWING GRADINGS, IN ACCORDANCE WITH IS EN 13242.

BS SIEVE SIZE (mm)	% BY MASS PASSING
40	100
31.5	98-100
20	90-99
10	25-70
4	0-15
5	0-5


- ANY ROADS PROPOSED TO BE USED FOR CONSTRUCTION TRAFFIC ARE TO HAVE INCREASED DEPTH OF SUB-BASE FOR THE DURATION OF CONSTRUCTION IN ACCORDANCE WITH DBFL SPECIFICATIONS.
- ALL WORKS SHALL BE COMPLETED IN ACCORDANCE WITH THE REQUIREMENTS OF THE LOCAL AUTHORITY.
- ALL GEOTRIDS TO BE LAID IN ACCORDANCE WITH MANUFACTURERS SPECIFICATIONS.
- ALL PERMEABLE PAVING SUB-FORMATION TO BE LAID TOWARD DRAINAGE PIPEWORK.




TRAFFIC BOLLARD DETAIL  
SCALE 1:25




PASSIVE SIGNAL POLE AND BOX INSTALLATION  
SCALE 1:25




FOUR WAY DUCT IN CARRIAGEWAY  
SCALE 1:25




FOUR WAY DUCT IN FOOTWAY  
SCALE 1:25




POST POCKET DETAIL (SIGN < 1.2.m HIGH)  
SCALE 1:25




POST POCKET DETAIL  
(SIGN > 1.2.m HIGH; MAX 3.0m TO TOP OF SIGN)  
STANDARD SIGNS ONLY; MAX SIGN AREA = 1.0m<sup>2</sup>  
SCALE 1:25




TYPICAL LAMP STANDARD FOUNDATION  
SCALE 1:25




ROAD SIGN (SINGLE POST)  
SCALE 1:25



ROUNDAABOUT EDGING WITH OVERRUN  
SCALE 1:10



TYPICAL CROSSING DETAIL ON REFUGE ISLAND (AT ROUNDAABOUT ONLY)  
SCALE 1:50



CORDUROY AND TACTILE PAVING  
DETAIL AT CONTROLLED CROSSINGS  
SCALE 1:100

0	08-05-24	First Issue		PJ	H/H
rev	date		description	by	chkd.

STATUS CODES

purpose P1 - INFORMATION acceptance S - ISSUED

**DBFL**  
CONSULTING ENGINEERS

T: + 353 1 400 4000 | E: info@dbfl.ie | W: www.dbfl.ie  
DUBLIN | CORK | GALWAY | WATERFORD

project ref.

BLESSINGTON LRD

drawing title  
TYPICAL ROADS CONSTRUCTION  
DETAILS SHEET 2

client  
MARSHALL YARDS DEVELOPMENT  
COMPANY LTD'

designed by H/H PJ scale AS NOTED sheet size A1

drawing no. 230199-X-04-Z00-DTM-DR-DBFL-CE-5202 revision 0